Public Law 96-591 96th Congress

An Act

To unify the rules for preventing collisions on the inland waters of the United States, and for other purposes.

Dec. 24, 1980 [H.R. 6671]

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That this Act may be cited as the "Inland Navigational Rules Act of 1980" SEC. 2. Inland Navigational Rules:

Inland Navigational Rules Act of 1980. 33 USC 2001

PART A-GENERAL

RULE 1

Application

(a) These Rules apply to all vessels upon the inland waters of the 33 USC 2001. United States, and to vessels of the United States on the Canadian waters of the Great Lakes to the extent that there is no conflict with Canadian law.

(b)(i) These Rules constitute special rules made by an appropriate authority within the meaning of Rule 1(b) of the International

(ii) All vessels complying with the construction and equipment requirements of the International Regulations are considered to be in

compliance with these Rules.

(c) Nothing in these Rules shall interfere with the operation of any special rules made by the Secretary of the Navy with respect to additional station or signal lights and shapes or whistle signals for ships of war and vessels proceeding under convoy, or by the Secretary with respect to additional station or signal lights and shapes for fishing vessels engaged in fishing as a fleet. These additional station or signal lights and shapes or whistle signals shall, so far as possible, be such that they cannot be mistaken for any light, shape, or signal authorized elsewhere under these Rules. Notice of such special rules shall be published in the Federal Register and, after the effective date specified in such notice, they shall have effect as if they were a part of these Rules.

(d) Vessel traffic service regulations may be in effect in certain

(e) Whenever the Secretary determines that a vessel or class of vessels of special construction or purpose cannot comply fully with the provisions of any of these Rules with respect to the number, position, range, or arc of visibility of lights or shapes, as well as to the disposition and characteristics of sound-signaling appliances, without interfering with the special function of the vessel, the vessel shall comply with such other provisions in regard to the number, position, range, or arc of visibility of lights or shapes, as well as to the disposition and characteristics of sound-signaling appliances, as the Secretary shall have determined to be the closest possible compliance with these Rules. The Secretary may issue a certificate of alternative

compliance for a vessel or class of vessels specifying the closest possible compliance with these Rules. The Secretary of the Navy shall make these determinations and issue certificates of alternative

compliance for vessels of the Navy.

(f) The Secretary may accept a certificate of alternative compliance issued by a contracting party to the International Regulations if he determines that the alternative compliance standards of the contracting party are substantially the same as those of the United States.

RULE 2

Responsibility

33 USC 2002.

(a) Nothing in these Rules shall exonerate any vessel, or the owner, master, or crew thereof, from the consequences of any neglect to comply with these Rules or of the neglect of any precaution which may be required by the ordinary practice of seamen, or by the special circumstances of the case.

(b) In construing and complying with these Rules due regard shall be had to all dangers of navigation and collision and to any special circumstances, including the limitations of the vessels involved, which may make a departure from these Rules necessary to avoid immediate danger.

RULE 3

General Definitions

33 USC 2003.

For the purpose of these Rules and this Act, except where the context otherwise requires:

(a) The word "vessel" includes every description of water craft, including nondisplacement craft and seaplanes, used or capable of being used as a means of transportation on water;

(b) The term "power-driven vessel" means any vessel propelled by

machinery:

(c) The term "sailing vessel" means any vessel under sail provided that propelling machinery, if fitted, is not being used;

(d) The term "vessel engaged in fishing" means any vessel fishing with nets, lines, trawls, or other fishing apparatus which restricts maneuverability, but does not include a vessel fishing with trolling lines or other fishing apparatus which do not restrict maneuverability;

(e) The word "seaplane" includes any aircraft designed to maneu-

ver on the water;

(f) The term "vessel not under command" means a vessel which through some exceptional circumstance is unable to maneuver as required by these Rules and is therefore unable to keep out of the way of another vessel;

(g) The term "vessel restricted in her ability to maneuver" means a vessel which from the nature of her work is restricted in her ability to maneuver as required by these Rules and is therefore unable to keep out of the way of another vessel; vessels restricted in their ability to maneuver include, but are not limited to:

(i) a vessel engaged in laying, servicing, or picking up a

navigation mark, submarine cable, or pipeline;

(ii) a vessel engaged in dredging, surveying, or underwater operations:

(iii) a vessel engaged in replenishment or transferring persons, provisions, or cargo while underway;

(iv) a vessel engaged in the launching or recovery of aircraft;

(v) a vessel engaged in minesweeping operations; and

(vi) a vessel engaged in a towing operation such as severely restricts the towing vessel and her tow in their ability to deviate from their course.

(h) The word "underway" means that a vessel is not at anchor, or made fast to the shore, or aground;

(i) The words "length" and "breadth" of a vessel mean her length overall and greatest breadth;

(j) Vessels shall be deemed to be in sight of one another only when

one can be observed visually from the other;

(k) The term "restricted visibility" means any condition in which visibility is restricted by fog, mist, falling snow, heavy rainstorms,

sandstorms, or any other similar causes;

- (1) "Western Rivers" means the Mississippi River, its tributaries, South Pass, and Southwest Pass, to the navigational demarcation lines dividing the high seas from harbors, rivers, and other inland waters of the United States, and the Port Allen-Morgan City Alternate Route, and that part of the Atchafalaya River above its junction with the Port Allen-Morgan City Alternate Route including the Old River and the Red River;
- (m) "Great Lakes" means the Great Lakes and their connecting and tributary waters including the Calumet River as far as the Thomas J. O'Brien Lock and Controlling Works (between mile 326 and 327), the Chicago River as far as the east side of the Ashland Avenue Bridge (between mile 321 and 322), and the Saint Lawrence River as far east as the lower exit of Saint Lambert Lock;

(n) "Secretary" means the Secretary of the department in which the Coast Guard is operating;

(o) "Inland Waters" means the navigable waters of the United States shoreward of the navigational demarcation lines dividing the high seas from harbors, rivers, and other inland waters of the United States and the waters of the Great Lakes on the United States side of the International Boundary;

(p) "Inland Rules" or "Rules" mean the Inland Navigational Rules and the annexes thereto, which govern the conduct of vessels and specify the lights, shapes, and sound signals that apply on inland

waters; and

(q) "International Regulations" means the International Regulations for Preventing Collisions at Sea, 1972, including annexes currently in force for the United States.

33 USC 1602

PART B-STEERING AND SAILING RULES

SUBPART I—CONDUCT OF VESSELS IN ANY CONDITION OF VISIBILITY

RULE 4

Application

Rules in this subpart apply in any condition of visibility.

33 USC 2004.

RULE 5

Look-out

33 USC 2005.

Every vessel shall at all times maintain a proper look-out by sight and hearing as well as by all available means appropriate in the prevailing circumstances and conditions so as to make a full appraisal of the situation and of the risk of collision.

RULE 6

Safe Speed

33 USC 2006.

Every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions.

In determining a safe speed the following factors shall be among those taken into account:

(a) By all vessels:

(i) the state of visibility;

(ii) the traffic density including concentration of fishing vessels

or any other vessels;

- (iii) the maneuverability of the vessel with special reference to stopping distance and turning ability in the prevailing conditions;
- (iv) at night the presence of background light such as from shores lights or from back scatter of her own lights;
 - (v) the state of wind, sea, and current, and the proximity of

navigational hazards;

(vi) the draft in relation to the available depth of water.

(b) Additionally, by vessels with operational radar:

- (i) the characteristics, efficiency and limitations of the radar equipment;
 - (ii) any constraints imposed by the radar range scale in use; (iii) the effect on radar detection of the sea state, weather, and

other sources of interference;

(iv) the possibility that small vessels, ice and other floating objects may not be detected by radar at an adequate range;

(v) the number, location, and movement of vessels detected by

radar; and

(vi) the more exact assessment of the visibility that may be possible when radar is used to determine the range of vessels or other objects in the vicinity.

RULE 7

Risk of Collision

33 USC 2007.

- (a) Every vessel shall use all available means appropriate to the prevailing circumstances and conditions to determine if risk of collision exists. If there is any doubt such risk shall be deemed to exist.
- (b) Proper use shall be made of radar equipment if fitted and operational, including long-range scanning to obtain early warning of risk of collision and radar plotting or equivalent systematic observation of detected objects.

(c) Assumptions shall not be made on the basis of scanty information, especially scanty radar information.

(d) In determining if risk of collision exists the following consider-

ations shall be among those taken into account:

(i) such risk shall be deemed to exist if the compass bearing of

an approaching vessel does not appreciably change; and

(ii) such risk may sometimes exist even when an appreciable bearing change is evident, particularly when approaching a very large vessel or a tow or when approaching a vessel at close range.

RULE 8

Action To Avoid Collision

(a) Any action taken to avoid collision shall, if the circumstances of 33 USC 2008. the case admit, be positive, made in ample time and with due regard

to the observance of good seamanship.

(b) Any alteration of course or speed to avoid collision shall, if the circumstances of the case admit, be large enough to be readily apparent to another vessel observing visually or by radar; a succession of small alterations of course or speed should be avoided.

(c) If there is sufficient sea room, alteration of course alone may be the most effective action to avoid a close-quarters situation provided that it is made in good time, is substantial and does not result in

another close-quarters situation.

(d) Action taken to avoid collision with another vessel shall be such as to result in passing at a safe distance. The effectiveness of the action shall be carefully checked until the other vessel is finally past

(e) If necessary to avoid collision or allow more time to assess the situation, a vessel shall slacken her speed or take all way off by

stopping or reversing her means of propulsion.

RULE 9

Narrow Channels

(a)(i) A vessel proceeding along the course of a narrow channel or 33 USC 2009. fairway shall keep as near to the outer limit of the channel or fairway

which lies on her starboard side as is safe and practicable.

(ii) Notwithstanding paragraph (a)(i) and Rule 14(a), a power-driven vessel operating in narrow channels or fairways on the Great Lakes. Western Rivers, or waters specified by the Secretary, and proceeding downbound with a following current shall have the right-of-way over an upbound vessel, shall propose the manner and place of passage, and shall initiate the maneuvering signals prescribed by Rule 34(a)(i), as appropriate. The vessel proceeding upbound against the current shall hold as necessary to permit safe passing.

(b) A vessel of less than 20 meters in length or a sailing vessel shall not impede the passage of a vessel that can safely navigate only

within a narrow channel or fairway.

(c) A vessel engaged in fishing shall not impede the passage of any

other vessel navigating within a narrow channel or fairway.

(d) A vessel shall not cross a narrow channel or fairway if such crossing impedes the passage of a vessel which can safely navigate only within that channel or fairway. The latter vessel shall use the danger signal prescribed in Rule 34(d) if in doubt as to the intention of the crossing vessel.

(e)(i) In a narrow channel or fairway when overtaking, the vessel intending to overtake shall indicate her intention by sounding the appropriate signal prescribed in Rule 34(c) and take steps to permit safe passing. The overtaken vessel, if in agreement, shall sound the same signal. If in doubt she shall sound the danger signal prescribed in Rule 34(d).

(ii) This Rule does not relieve the overtaking vessel of her obliga-

tion under Rule 13.

(f) A vessel nearing a bend or an area of a narrow channel or fairway where other vessels may be obscured by an intervening obstruction shall navigate with particular alertness and caution and shall sound the appropriate signal prescribed in Rule 34(e).

(g) Every vessel shall, if the circumstances of the case admit, avoid

anchoring in a narrow channel.

RULE 10

Vessel Traffic Services

33 USC 2010.

Each vessel required by regulation to participate in a vessel traffic service shall comply with the applicable regulations.

SUBPART II—CONDUCT OF VESSELS IN SIGHT OF ONE ANOTHER

RULE 11

designed that a lessoy multions of Application

33 USC 2011.

Rules in this subpart apply to vessels in sight of one another.

William was the solution being RULE 12 also land to be in applicable

Sailing Vessels

33 USC 2012.

(a) When two sailing vessels are approaching one another, so as to involve risk of collision, one of them shall keep out of the way of the other as follows:

(i) when each has the wind on a different side, the vessel which has the wind on the port side shall keep out of the way of the

other:

(ii) when both have the wind on the same side, the vessel which is to windward shall keep out of the way of the vessel which is to

leeward: and

(iii) if a vessel with the wind on the port side sees a vessel to windward and cannot determine with certainty whether the other vessel has the wind on the port or on the starboard side, she shall keep out of the way of the other.

(b) For the purpose of this Rule the windward side shall be deemed to be the side opposite to that on which the mainsail is carried or, in the case of a square-rigged vessel, the side opposite to that on which

the largest fore-and-aft sail is carried.

RULE 13

Overtaking

33 USC 2013.

(a) Notwithstanding anything contained in Rules 4 through 18, any vessel overtaking any other shall keep out of the way of the vessel being overtaken.

(b) A vessel shall be deemed to be overtaking when coming up with another vessel from a direction more than 22.5 degrees abaft her beam; that is, in such a position with reference to the vessel she is overtaking, that at night she would be able to see only the sternlight of that vessel but neither of her sidelights.

(c) When a vessel is in any doubt as to whether she is overtaking another, she shall assume that this is the case and act accordingly.

(d) Any subsequent alteration of the bearing between the two vessels shall not make the overtaking vessel a crossing vessel within the meaning of these Rules or relieve her of the duty of keeping clear of the overtaken vessel until she is finally past and clear.

RULE 14

Head-on Situation

(a) When two power-driven vessels are meeting on reciprocal or 33 USC 2014. nearly reciprocal courses so as to involve risk of collision each shall alter her course to starboard so that each shall pass on the port side of the other.

(b) Such a situation shall be deemed to exist when a vessel sees the other ahead or nearly ahead and by night she could see the masthead lights of the other in a line or nearly in a line or both sidelights and by day she observes the corresponding aspect of the other vessel.

(c) When a vessel is in any doubt as to whether such a situation exists she shall assume that it does exist and act accordingly.

RULE 15

Crossing Situation

(a) When two power-driven vessels are crossing so as to involve risk 33 USC 2015. of collision, the vessel which has the other on her starboard side shall keep out of the way and shall, if the circumstances of the case admit, avoid crossing ahead of the other vessel.

(b) Notwithstanding paragraph (a), on the Great Lakes, Western Rivers, or water specified by the Secretary, a vessel crossing a river shall keep out of the way of a power-driven vessel ascending or descending the river.

RULE 16

Action by Give-Way Vessel

Every vessel which is directed to keep out of the way of another vessel shall, so far as possible, take early and substantial action to keep well clear. RULE 17

Action by Stand-on Vessel

(a)(i) Where one of two vessels is to keep out of the way, the other 33 USC 2017. shall keep her course and speed.

(ii) The latter vessel may, however, take action to avoid collision by her maneuver alone, as soon as it becomes apparent to her that the vessel required to keep out of the way is not taking appropriate action in compliance with these Rules.

(b) When, from any cause, the vessel required to keep her course and speed finds herself so close that collision cannot be avoided by the

33 USC 2016.

action of the give-way vessel alone, she shall take such action as will best aid to avoid collision.

(c) A power-driven vessel which takes action in a crossing situation in accordance with subparagraph (a)(ii) of this Rule to avoid collision with another power-driven vessel shall, if the circumstances of the case admit, not alter course to port for a vessel on her own port side.

(d) This Rule does not relieve the give-way vessel of her obligation

to keep out of the way.

RULE 18

Responsibilities Between Vessels

33 USC 2018.

Except where Rules 9, 10, and 13 otherwise require:

(a) A power-driven vessel underway shall keep out of the way of:(i) a vessel not under command;

(ii) a vessel restricted in her ability to maneuver;

(iii) a vessel engaged in fishing; and

(iv) a sailing vessel.

(b) A sailing vessel underway shall keep out of the way of:(i) a vessel not under command;

(ii) a vessel restricted in her ability to maneuver; and

(iii) a vessel engaged in fishing.

(c) A vessel engaged in fishing when underway shall, so far as possible, keep out of the way of:

(i) a vessel not under command; and

(ii) a vessel restricted in her ability to maneuver.

(d) A seaplane on the water shall, in general, keep well clear of all vessels and avoid impeding their navigation. In circumstances, however, where risk of collision exists, she shall comply with the Rules of this Part.

SUBPART III—CONDUCT OF VESSELS IN RESTRICTED VISIBILITY

see and to especially RULE 19

Conduct of Vessels in Restricted Visibility

33 USC 2019.

(a) This Rule applies to vessels not in sight of one another when

navigating in or near an area of restricted visibility.

(b) Every vessel shall proceed at a safe speed adapted to the prevailing circumstances and conditions of restricted visibility. A power-driven vessel shall have her engines ready for immediate maneuver.

(c) Every vessel shall have due regard to the prevailing circumstances and conditions of restricted visibility when complying with

Rules 4 through 10.

(d) A vessel which detects by radar alone the presence of another vessel shall determine if a close-quarters situation is developing or risk of collision exists. If so, she shall take avoiding action in ample time, provided that when such action consists of an alteration of course, so far as possible the following shall be avoided:

(i) an alteration of course to port for a vessel forward of the

beam, other than for a vessel being overtaken; and

(ii) an alteration of course toward a vessel abeam or abaft the

beam.

(e) Except where it has been determined that a risk of collision does not exist, every vessel which hears apparently forward of her beam the fog signal of another vessel, or which cannot avoid a closequarters situation with another vessel forward of her beam, shall reduce her speed to the minimum at which she can be kept on course. She shall if necessary take all her way off and, in any event, navigate with extreme caution until danger of collision is over.

PART C-LIGHTS AND SHAPES

RULE 20

Application

(a) Rules in this Part shall be complied with in all weathers.

(b) The Rules concerning lights shall be complied with from sunset to sunrise, and during such times no other lights shall be exhibited, except such lights as cannot be mistaken for the lights specified in these Rules or do not impair their visibility or distinctive character, or interfere with the keeping of a proper lookout.

(c) The lights prescribed by these Rules shall, if carried, also be exhibited from sunrise to sunset in restricted visibility and may be exhibited in all other circumstances when it is deemed necessary.

(d) The Rules concerning shapes shall be complied with by day.
(e) The lights and shapes specified in these Rules shall comply with the provisions of Annex I of these Rules.

RULE 21

Definitions

(a) "Masthead light" means a white light placed over the fore and aft centerline of the vessel showing an unbroken light over an arc of the horizon of 225 degrees and so fixed as to show the light from right ahead to 22.5 degrees abaft the beam on either side of the vessel, except that on a vessel of less than 12 meters in length the masthead light shall be placed as nearly as practicable to the fore and aft centerline of the vessel.

(b) "Sidelights" mean a green light on the starboard side and a red light on the port side each showing an unbroken light over an arc of the horizon of 112.5 degrees and so fixed as to show the light from right ahead to 22.5 degrees abaft the beam on its respective side. On a vessel of less than 20 meters in length the side lights may be combined in one lantern carried on the fore and aft centerline of the vessel, except that on a vessel of less than 12 meters in length the sidelights when combined in one lantern shall be placed as nearly as practicable to the fore and aft centerline of the vessel.

(c) "Sternlight" means a white light placed as nearly as practicable at the stern showing an unbroken light over an arc of the horizon of 135 degrees and so fixed as to show the light 67.5 degrees from right aft on each side of the vessel.

(d) "Towing light" means a yellow light having the same characteristics as the "sternlight" defined in paragraph (c) of this Rule.

(e) "All-round light" means a light showing an unbroken light over an arc of the horizon of 360 degrees.

(f) "Flashing light" means a light flashing at regular intervals at a frequency of 120 flashes or more per minute.

(g) "Special flashing light" means a yellow light flashing at regular intervals at a frequency of 50 to 70 flashes per minute, placed as far forward and as nearly as practicable on the fore and aft centerline of the tow and showing an unbroken light over an arc of the horizon of

33 USC 2020.

33 USC 2021.

not less than 180 degrees nor more than 225 degrees and so fixed as to show the light from right ahead to abeam and no more than 22.5 degrees abaft the beam on either side of the vessel.

RULE 22

Visibility of Lights

33 USC 2022.

The lights prescribed in these Rules shall have an intensity as specified in Annex I to these Rules, so as to be visible at the following minimum ranges:

(a) In a vessel of 50 meters or more in length:

a masthead light, 6 miles; a sidelight, 3 miles;

a sternlight, 3 miles; a towing light, 3 miles;

a white, red, green or yellow all-round light, 3 miles; and a special flashing light, 2 miles.

a special flashing light, 2 littles.

(b) In a vessel of 12 meters or more in length but less than 50 meters in length:

a masthead light, 5 miles; except that where the length of the

vessel is less than 20 meters, 3 miles;

a sidelight, 2 miles; a sternlight, 2 miles; a towing light, 2 miles;

a white, red, green or yellow all-round light, 2 miles; and a special flashing light, 2 miles.

(c) In a vessel of less than 12 meters in length:

a masthead light, 2 miles;

a sidelight, 1 mile; a sternlight, 2 miles; a towing light, 2 miles;

a white, red, green or yellow all-round light, 2 miles; and a special flashing light, 2 miles.

(d) In an inconspicuous, partly submerged vessel or object being towed:

a white all-round light, 3 miles.

RULE 23

Power-Driven Vessels Underway

33 USC 2023.

(a) A power-driven vessel underway shall exhibit:

 (i) a masthead light forward; except that a vessel of less than 20 meters in length need not exhibit this light forward of amidships but shall exhibit it as far forward as is practicable;

(ii) a second masthead light abaft of and higher than the forward one; except that a vessel of less than 50 meters in length

shall not be obliged to exhibit such light but may do so;

(iii) sidelights; and (iv) a sternlight.

(b) An air-cushion vessel when operating in the nondisplacement mode shall, in addition to the lights prescribed in paragraph (a) of this Rule, exhibit an all-round flashing yellow light where it can best be seen.

(c) A power-driven vessel of less than 12 meters in length may, in lieu of the lights prescribed in paragraph (a) of this Rule, exhibit an all-round white light and sidelights.

(d) A power-driven vessel when operating on the Great Lakes may carry an all-round white light in lieu of the second masthead light and sternlight prescribed in paragraph (a) of this Rule. The light shall be carried in the position of the second masthead light and be visible at the same minimum range.

RULE 24

Towing and Pushing

(a) A power-driven vessel when towing astern shall exhibit:

(i) instead of the light prescribed either in Rule 23 (a)(i) or 23(a)(ii), two masthead lights in a vertical line. When the length of the tow, measuring from the stern of the towing vessel to the after end of the tow exceeds 200 meters, three such lights in a vertical line;

(ii) sidelights;(iii) a sternlight;

(iv) a towing light in a vertical line above the sternlight; and (v) when the length of the tow exceeds 200 meters, a diamond

shape where it can best be seen.

(b) When a pushing vessel and a vessel being pushed ahead are rigidly connected in a composite unit they shall be regarded as a power-driven vessel and exhibit the lights prescribed in Rule 23.

(c) A power-driven vessel when pushing ahead or towing alongside, except as required by paragraphs (b) and (i) of this Rule, shall exhibit:
 (i) instead of the light prescribed either in Rule 23(a)(i) or

23(a)(ii), two masthead lights in a vertical line;

(ii) sidelights; and

(iii) two towing lights in a vertical line.

(d) A power-driven vessel to which paragraphs (a) or (c) of this Rule apply shall also comply with Rule 23(a)(i) and 23(a)(ii).

(e) A vessel or object other than those referred to in paragraph (g) of this Rule being towed shall exhibit:

(i) sidelights;

(ii) a sternlight; and

(iii) when the length of the tow exceeds 200 meters, a diamond shape where it can best be seen.

(f) Provided that any number of vessels being towed alongside or

pushed in a group shall be lighted as one vessel:

 (i) a vessel being pushed ahead, not being part of a composite unit, shall exhibit at the forward end sidelights, and a special flashing light; and

(ii) a vessel being towed alongside shall exhibit a sternlight and

at the forward end sidelights.

(g) An inconspicuous, partly submerged vessel or object being towed shall exhibit:

(i) if it is less than 25 meters in breadth, one all-round white light at or near each end;

(ii) if it is 25 meters or more in breadth, four all-round white

lights to mark its length and breadth;

(iii) if it exceeds 100 meters in length, additional all-round white lights between the lights prescribed in subparagraphs (i) and (ii) so that the distance between the lights shall not exceed 100 meters: *Provided*, That any vessels or objects being towed alongside each other shall be lighted as one vessel or object;

(iv) a diamond shape at or near the aftermost extremity of the

last vessel or object being towed; and

33 USC 2024.

(v) the towing vessel may direct a searchlight in the direction of the tow to indicate its presence to an approaching vessel.

(h) Where from any sufficient cause it is impracticable for a vessel or object being towed to exhibit the lights prescribed in paragraph (e) or (g) of this Rule, all possible measures shall be taken to light the vessel or object towed or at least to indicate the presence of the unlighted vessel or object.

(i) Notwithstanding paragraph (c), on the Western Rivers and on waters specified by the Secretary, a power-driven vessel when pushing ahead or towing alongside, except as paragraph (b) applies, shall

exhibit:

(i) sidelights; and

(ii) two towing lights in a vertical line.

(j) Where from any sufficient cause it is impracticable for a vessel not normally engaged in towing operations to display the lights prescribed by paragraph (a), (c) or (i) of this Rule, such vessel shall not be required to exhibit those lights when engaged in towing another vessel in distress or otherwise in need of assistance. All possible measures shall be taken to indicate the nature of the relationship between the towing vessel and the vessel being assisted. The search-light authorized by Rule 36 may be used to illuminate the tow.

RULE 25

Sailing Vessels Underway and Vessels Under Oars

33 USC 2025.

(a) A sailing vessel underway shall exhibit:

(i) sidelights; and

(ii) a sternlight.

(b) In a sailing vessel of less than 20 meters in length the lights prescribed in paragraph (a) of this Rule may be combined in one lantern carried at or near the top of the mast where it can best be seen.

(c) A sailing vessel underway may, in addition to the lights prescribed in paragraph (a) of this Rule, exhibit at or near the top of the mast, where they can best be seen, two all-round lights in a vertical line, the upper being red and the lower green, but these lights shall not be exhibited in conjunction with the combined lantern permitted by paragraph (b) of this Rule.

(d)(i) A sailing vessel of less than 7 meters in length shall, if practicable, exhibit the lights prescribed in paragraph (a) or (b) of this Rule, but if she does not, she shall have ready at hand an electric torch or lighted lantern showing a white light which shall be

exhibited in sufficient time to prevent collision.

(ii) A vessel under oars may exhibit the lights prescribed in this Rule for sailing vessels, but if she does not, she shall have ready at hand an electric torch or lighted lantern showing a white light which

shall be exhibited in sufficient time to prevent collision.

(e) A vessel proceeding under sail when also being propelled by machinery shall exhibit forward where it can best be seen a conical shape, apex downward. A vessel of less than 12 meters in length is not required to exhibit this shape, but may do so.

RULE 26

Fishing Vessels

(a) A vessel engaged in fishing, whether underway or at anchor, shall exhibit only the lights and shapes prescribed in this Rule.

(b) A vessel when engaged in trawling, by which is meant the dragging through the water of a dredge net or other apparatus used

as a fishing appliance, shall exhibit:

(i) two all-round lights in a vertical line, the upper being green and the lower white, or a shape consisting of two cones with their apexes together in a vertical line one above the other; a vessel of less than 20 meters in length may instead of this shape exhibit a basket;

(ii) a masthead light abaft of and higher than the all-round green light; a vessel of less than 50 meters in length shall not be

obliged to exhibit such a light but may do so; and

(iii) when making way through the water, in addition to the lights prescribed in this paragraph, sidelights and a sternlight.(c) A vessel engaged in fishing, other than trawling, shall exhibit:

- (i) two all-round lights in a vertical line, the upper being red and the lower white, or a shape consisting of two cones with apexes together in a vertical line one above the other; a vessel of less than 20 meters in length may instead of this shape exhibit a basket;
- (ii) when there is outlying gear extending more than 150 meters horizontally from the vessel, an all-round white light or a cone apex upward in the direction of the gear; and

(iii) when making way through the water, in addition to the lights prescribed in this paragraph, sidelights and a sternlight.

- (d) A vessel engaged in fishing in close proximity to other vessels engaged in fishing may exhibit the additional signals described in Annex II to these Rules.
- (e) A vessel when not engaged in fishing shall not exhibit the lights or shapes prescribed in this Rule, but only those prescribed for a vessel of her length.

RULE 27

Vessels Not Under Command or Restricted in Their Ability To Maneuver

33 USC 2027.

(a) A vessel not under command shall exhibit:

(i) two all-round red lights in a vertical line where they can best be seen;

(ii) two balls or similar shapes in a vertical line where they can best be seen; and

(iii) when making way through the water, in addition to the lights prescribed in this paragraph, sidelights and a sternlight.

(b) A vessel restricted in her ability to maneuver, except a vessel engaged in minesweeping operations, shall exhibit:

(i) three all-round lights in a vertical line where they can best be seen. The highest and lowest of these lights shall be red and the middle light shall be white;

(ii) three shapes in a vertical line where they can best be seen. The highest and lowest of these shapes shall be balls and the middle one a diamond;

(iii) when making way through the water, masthead lights, sidelights and a sternlight, in addition to the lights prescribed in subparagraph (b)(i); and

(iv) when at anchor, in addition to the lights or shapes prescribed in subparagraphs (b) (i) and (ii), the light, lights or

shapes prescribed in Rule 30.

(c) A vessel engaged in a towing operation which severely restricts the towing vessel and her tow in their ability to deviate from their course shall, in addition to the lights or shapes prescribed in subparagraphs (b) (i) and (ii) of this Rule, exhibit the lights or shape prescribed in Rule 24.

(d) A vessel engaged in dredging or underwater operations, when restricted in her ability to maneuver, shall exhibit the lights and shapes prescribed in subparagraphs (b) (i), (ii), and (iii) of this Rule

and shall in addition, when an obstruction exists, exhibit:

(i) two all-round red lights or two balls in a vertical line to

indicate the side on which the obstruction exists:

(ii) two all-round green lights or two diamonds in a vertical line to indicate the side on which another vessel may pass; and

(iii) when at anchor, the lights or shape prescribed by this paragraph, instead of the lights or shapes prescribed in Rule 30 for anchored vessels.

(e) Whenever the size of a vessel engaged in diving operations makes it impracticable to exhibit all lights and shapes prescribed in paragraph (d) of this Rule, the following shall instead be exhibited:

(i) Three all-round lights in a vertical line where they can best be seen. The highest and lowest of these lights shall be red and

the middle light shall be white.

(ii) A rigid replica of the international Code flag "A" not less than 1 meter in height. Measures shall be taken to insure its all-

round visibility.

(f) A vessel engaged in minesweeping operations shall, in addition to the lights prescribed for a power-driven vessel in Rule 23, exhibit three all-round green lights or three balls. One of these lights or shapes shall be exhibited near the foremast head and one at each end of the fore yard. These lights or shapes indicate that it is dangerous for another vessel to approach closer than 1,000 meters astern or 500 meters on either side of the minesweeper.

(g) A vessel of less than 12 meters in length, except when engaged in diving operations, is not required to exhibit the lights or shapes

prescribed in this Rule.

(h) The signals prescribed in this Rule are not signals of vessels in distress and requiring assistance. Such signals are contained in Annex IV to these Rules.

33 USC 2028.

RULE 28

[Reserved]

RULE 29

Pilot Vessels

33 USC 2029.

(a) A vessel engaged on pilotage duty shall exhibit:

(i) at or near the masthead, two all-round lights in a vertical line, the upper being white and the lower red;

(ii) when underway, in addition, sidelights and a sternlight; and

(iii) when at anchor, in addition to the lights prescribed in subparagraph (i), the anchor light, lights, or shape prescribed in Rule 30 for anchored vessels.

(b) A pilot vessel when not engaged on pilotage duty shall exhibit the lights or shapes prescribed for a vessel of her length.

BITTE 30

Anchored Vessels and Vessels Aground

(a) A vessel at anchor shall exhibit where it can best be seen: 33 USC 2030. (i) in the fore part, an all-round white light or one ball; and

(ii) at or near the stern and at a lower level than the light prescribed in subparagraph (i), an all-round white light.

(b) A vessel of less than 50 meters in length may exhibit an allround white light where it can best be seen instead of the lights prescribed in paragraph (a) of this Rule.

(c) A vessel at anchor may, and a vessel of 100 meters or more in length shall, also use the available working or equivalent lights to illuminate her decks.

(d) A vessel aground shall exhibit the lights prescribed in paragraph (a) or (b) of this Rule and in addition, if practicable, where they can best be seen:

(i) two all-round red lights in a vertical line; and

(ii) three balls in a vertical line.

(e) A vessel of less than 7 meters in length, when at anchor, not in or near a narrow channel, fairway, anchorage, or where other vessels normally navigate, shall not be required to exhibit the lights or shape prescribed in paragraphs (a) and (b) of this Rule.

(f) A vessel of less than 12 meters in length when aground shall not be required to exhibit the lights or shapes prescribed in subpara-

graphs (d) (i) and (ii) of this Rule.

(g) A vessel of less than 20 meters in length, when at anchor in a special anchorage area designated by the Secretary, shall not be required to exhibit the anchor lights and shapes required by this

RULE 31

Seaplanes

Where it is impracticable for a seaplane to exhibit lights and $^{33}\,\mathrm{USC}\,2031.$ shapes of the characteristics or in the positions prescribed in the Rules of this Part she shall exhibit lights and shapes as closely similar in characteristics and position as is possible.

PART D—SOUND AND LIGHT SIGNALS

RULE 32

Definitions

(a) The word "whistle" means any sound signaling appliance 33 USC 2032. capable of producing the prescribed blasts and which complies with specifications in Annex III to these Rules.

(b) The term "short blast" means a blast of about 1 second's duration.

(c) The term "prolonged blast" means a blast of from 4 to 6 seconds' duration.

RULE 33

Equipment for Sound Signals

33 USC 2033.

(a) A vessel of 12 meters or more in length shall be provided with a whistle and a bell and a vessel of 100 meters or more in length shall, in addition, be provided with a gong, the tone and sound of which cannot be confused with that of the bell. The whistle, bell and gong shall comply with the specifications in Annex III to these Rules. The bell or gong or both may be replaced by other equipment having the same respective sound characteristics, provided that manual sounding of the prescribed signals shall always be possible.

(b) A vessel of less than 12 meters in length shall not be obliged to carry the sound signaling appliances prescribed in paragraph (a) of this Rule but if she does not, she shall be provided with some other

means of making an efficient sound signal.

RULE 34

Maneuvering and Warning Signals

33 USC 2034.

(a) When power-driven vessels are in sight of one another and meeting or crossing at a distance within half a mile of each other, each vessel underway, when maneuvering as authorized or required by these Rules:

(i) shall indicate that maneuver by the following signals on her whistle: one short blast to mean "I intend to leave you on my port side"; two short blasts to mean "I intend to leave you on my starboard side"; and three short blasts to mean "I am operating

astern propulsion".

(ii) upon hearing the one or two blast signal of the other shall, if in agreement, sound the same whistle signal and take the steps necessary to effect a safe passing. If, however, from any cause, the vessel doubts the safety of the proposed maneuver, she shall sound the danger signal specified in paragraph (d) of this Rule and each vessel shall take appropriate precautionary action until a safe passing agreement is made.

(b) A vessel may supplement the whistle signals prescribed in

paragraph (a) of this Rule by light signals:

(i) These signals shall have the following significance: one flash to mean "I intend to leave you on my port side"; two flashes to mean "I intend to leave you on my starboard side"; three flashes to mean "I am operating astern propulsion";

(ii) The duration of each flash shall be about 1 second; and (iii) The light used for this signal shall, if fitted, be one allround white or yellow light, visible at a minimum range of 2 miles, synchronized with the whistle, and shall comply with the provisions of Annex I to these Rules.

(c) When in sight of one another:

(i) a power-driven vessel intending to overtake another power-driven vessel shall indicate her intention by the following signals on her whistle: one short blast to mean "I intend to overtake you on your starboard side"; two short blasts to mean "I intend to overtake you on your port side"; and

(ii) the power-driven vessel about to be overtaken shall, if in agreement, sound a similar sound signal. If in doubt she shall

sound the danger signal prescribed in paragraph (d).

(d) When vessels in sight of one another are approaching each other and from any cause either vessel fails to understand the intentions or actions of the other, or is in doubt whether sufficient action is being taken by the other to avoid collision, the vessel in doubt shall immediately indicate such doubt by giving at least five short and rapid blasts on the whistle. This signal may be supplemented by a light signal of at least five short and rapid flashes.

(e) A vessel nearing a bend or an area of a channel or fairway where other vessels may be obscured by an intervening obstruction shall sound one prolonged blast. This signal shall be answered with a prolonged blast by any approaching vessel that may be within hearing around the bend or behind the intervening obstruction.

(f) If whistles are fitted on a vessel at a distance apart of more than 100 meters, one whistle only shall be used for giving maneuvering

and warning signals.

(g) When a power-driven vessel is leaving a dock or berth, she shall

sound one prolonged blast.

(h) A vessel that reaches agreement with another vessel in a meeting, crossing, or overtaking situation by using the radiotelephone as prescribed by the Bridge-to-Bridge Radiotelephone Act (85 Stat. 165; 33 U.S.C. 1207), is not obliged to sound the whistle signals prescribed by this Rule, but may do so. If agreement is not reached, then whistle signals shall be exchanged in a timely manner and shall prevail.

RULE 35

Sound Signals in Restricted Visibility

In or near an area of restricted visibility, whether by day or night, the signals prescribed in this Rule shall be used as follows:

(a) A power-driven vessel making way through the water shall sound at intervals of not more than 2 minutes one prolonged blast.

(b) A power-driven vessel underway but stopped and making no way through the water shall sound at intervals of not more than 2 minutes two prolonged blasts in succession with an interval of about 2 seconds between them.

(c) A vessel not under command; a vessel restricted in her ability to maneuver, whether underway or at anchor; a sailing vessel; a vessel engaged in fishing, whether underway or at anchor; and a vessel engaged in towing or pushing another vessel shall, instead of the signals prescribed in paragraphs (a) or (b) of this Rule, sound at intervals of not more than 2 minutes, three blasts in succession; namely, one prolonged followed by two short blasts.

(d) A vessel towed or if more than one vessel is towed the last vessel of the tow, if manned, shall at intervals of not more than 2 minutes sound four blasts in succession; namely, one prolonged followed by three short blasts. When practicable, this signal shall be made

immediately after the signal made by the towing vessel.

(e) When a pushing vessel and a vessel being pushed ahead are rigidly connected in a composite unit they shall be regarded as a power-driven vessel and shall give the signals prescribed in paragraphs (a) or (b) of this Rule.

(f) A vessel at anchor shall at intervals of not more than 1 minute ring the bell rapidly for about 5 seconds. In a vessel of 100 meters or more in length the bell shall be sounded in the forepart of the vessel

33 USC 2035.

and immediately after the ringing of the bell the gong shall be sounded rapidly for about 5 seconds in the after part of the vessel. A vessel at anchor may in addition sound three blasts in succession; namely, one short, one prolonged and one short blast, to give warning of her position and of the possibility of collision to an approaching

(g) A vessel aground shall give the bell signal and if required the gong signal prescribed in paragraph (f) of this Rule and shall, in addition, give three separate and distinct strokes on the bell immediately before and after the rapid ringing of the bell. A vessel aground

may in addition sound an appropriate whistle signal.

(h) A vessel of less than 12 meters in length shall not be obliged to give the above-mentioned signals but, if she does not, shall make some other efficient sound signal at intervals of not more than 2

(i) A pilot vessel when engaged on pilotage duty may in addition to the signals prescribed in paragraphs (a), (b) or (f) of this Rule sound an identity signal consisting of four short blasts.

(j) The following vessels shall not be required to sound signals as prescribed in paragraph (f) of this Rule when anchored in a special anchorage area designated by the Secretary:

(i) a vessel of less than 20 meters in length; and

(ii) a barge, canal boat, scow, or other nondescript craft.

RULE 36

Signals To Attract Attention

33 USC 2036.

If necessary to attract the attention of another vessel, any vessel may make light or sound signals that cannot be mistaken for any signal authorized elsewhere in these Rules, or may direct the beam of her searchlight in the direction of the danger, in such a way as not to embarrass any vessel.

RULE 37

Distress Signals

33 USC 2037.

When a vessel is in distress and requires assistance she shall use or exhibit the signals described in Annex IV to these Rules.

PART E—EXEMPTIONS

RULE 38 Exemptions

33 USC 2038.

Any vessel or class of vessels, the keel of which is laid or which is at a corresponding stage of construction before the date of enactment of this Act, provided that she complies with the requirements of-

(a) The Act of June 7, 1897 (30 Stat. 96), as amended (33 U.S.C. 154-232) for vessels navigating the waters subject to that statute; (b) Section 4233 of the Revised Statutes (33 U.S.C. 301-356) for

vessels navigating the waters subject to that statute;

(c) The Act of February 8, 1895 (28 Stat. 645), as amended (33 U.S.C. 241-295) for vessels navigating the waters subject to that statute; or (d) Sections 3, 4, and 5 of the Act of April 25, 1940 (54 Stat. 163), as amended (46 U.S.C. 526 b, c, and d) for motorboats navigating the waters subject to that statute; shall be exempted from compliance with the technical Annexes to these Rules as follows:

(i) the installation of lights with ranges prescribed in Rule 22, until 4 years after the effective date of these Rules, except that vessels of less than 20 meters in length are permanently exempt;

(ii) the installation of lights with color specifications as prescribed in Annex I to these Rules, until 4 years after the effective date of these Rules, except that vessels of less than 20 meters in length are permanently exempt;

(iii) the repositioning of lights as a result of conversion to metric units and rounding off measurement figures, are perma-

nently exempt; and

(iv) the horizontal repositioning of masthead lights prescribed by Annex I to these Rules:

(1) on vessels of less than 150 meters in length, permanent

exemption.

(2) on vessels of 150 meters or more in length, until 9 years

after the effective date of these Rules.
(v) the restructuring or repositioning of all lights to meet the

prescriptions of Annex I to these Rules, until 9 years after the effective date of these Rules;

(vi) power-driven vessels of 12 meters or more but less than 20 meters in length are permanently exempt from the provisions of Rule 23(a)(i) and 23(a)(iv) provided that, in place of these lights, the vessel exhibits a white light aft visible all round the horizon; and

(vii) the requirements for sound signal appliances prescribed in Annex III to these Rules, until 9 years after the effective date of

these Rules

Sec. 3. The Secretary may issue regulations necessary to implement and interpret this Act. The Secretary shall establish the following technical annexes to these Rules: Annex I, Positioning and Technical Details of Lights and Shapes; Annex II, Additional Signals for Fishing Vessels Fishing in Close Proximity; Annex III, Technical Details of Sound Appliances; and Annex IV, Distress Signals. These annexes shall be as consistent as possible with the respective annexes to the International Regulations. The Secretary may establish other technical annexes, including local pilot rules.

Sec. 4. (a) Whoever operates a vessel in violation of this Act, or of any regulation issued thereunder, or in violation of a certificate of alternative compliance issued under Rule 1 is liable to a civil penalty

of not more than \$5,000 for each violation.

(b) Every vessel subject to this Act, other than a public vessel being used for noncommercial purposes, that is operated in violation of this Act, or of any regulation issued thereunder, or in violation of a certificate of alternative compliance issued under Rule 1 is liable to a civil penalty of not more than \$5,000 for each violation, for which penalty the vessel may be seized and proceeded against in the district court of the United States of any district within which the vessel may be found.

(c) The Secretary may assess any civil penalty authorized by this section. No such penalty may be assessed until the person charged, or the owner of the vessel charged, as appropriate, shall have been given notice of the violation involved and an opportunity for a hearing. For good cause shown, the Secretary may remit, mitigate, or compromise any penalty assessed. Upon the failure of the person charged, or the owner of the vessel charged, to pay an assessed penalty, as it may have been mitigated or compromised, the Secretary may request the

Regulations. 33 USC 2071.

Violations. 33 USC 2072.

Civil penalties.

Attorney General to commence an action in the appropriate district court of the United States for collection of the penalty as assessed, without regard to the amount involved, together with such other

relief as may be appropriate.

(d) The Secretary of the Treasury shall withhold or revoke, at the request of the Secretary, the clearance, required by section 4197 of the Revised Statutes of the United States (46 U.S.C. 91) of any vessel, the owner or operator of which is subject to any of the penalties in this section. Clearance may be granted in such cases upon the filing of

a bond or other surety satisfactory to the Secretary.

Rules of the Road Advisory Council. Establishment. 33 USC 2073. Sec. 5. (a) The Secretary shall establish a Rules of the Road Advisory Council (hereinafter referred to as the Council) not exceeding 21 members. To assure balanced representation, members shall be chosen, insofar as practical, from the following groups: (1) recognized experts and leaders in organizations having an active interest in the Rules of the Road and vessel and port safety, (2) representatives of owners and operators of vessels, professional mariners, recreational boaters, and the recreational boating industry, (3) individuals with an interest in maritime law, and (4) Federal and State officials with responsibility for vessel and port safety. Additional persons may be appointed to panels of the Council to assist the Council in the performance of its functions.

(b) The Council shall advise, consult with, and make recommendations to the Secretary on matters relating to any major proposals for changes to the Inland Rules. The Council may recommend changes to the Inland Rules and International Regulations to the Secretary. Any advice or recommendation made by the Council to the Secretary shall reflect the independent judgment of the Council on the matter concerned. The Council shall meet at the call of the Secretary, but in any event not less than once during each calendar year. All proceedings of the Council shall be public, and a record of the proceedings

shall be made available for public inspection.

(c) The Secretary shall furnish to the Council an executive secretary and such secretarial, clerical, and other services as are deemed necessary for the conduct of its business. Members of the Council who are not officers or employees of the United States shall, while attending meetings of the Council or while otherwise engaged in the business of the Council, be entitled to receive compensation at a rate fixed by the Secretary, not exceeding the daily equivalent of the current rate of basic pay in effect for GS-18 of the General Schedule under section 5332 of title 5, United States Code, including traveltime; and while away from their home or regular place of business, they may be allowed travel expenses, including per diem in lieu of subsistence, as authorized by section 5703 of title 5, United States Code. Payments under this section shall not render members of the Council officers or employees of the United States for any purpose.

(d) Unless extended by subsequent Act of Congress, the Council shall terminate 5 years from the date of enactment of this Act. Sec. 6. The International Navigational Rules Act of 1977 (91 Stat.

308; 33 U.S.C. 1601), is amended as follows:

33 USC 1604.

Termination.

(1) in section 5 by amending subsection (a) to read as follows:

"The International Regulations do not apply to vessels
while in the waters of the United States shoreward of the
navigational demarcation lines dividing the high seas from
harbors, rivers, and other inland waters of the United
States.":

(2) in section 6, by adding a new subsection (d) as follows:

33 USC 1605.

"(d) A certification authorized by this section may be issued for a class of vessels.";

(3) in subsection (a) of section 9 by striking "\$500" and 33 USC 1608. inserting in lieu thereof "\$5,000".

(4) in subsection (b) of section 9 by striking "\$500" and

inserting in lieu thereof "not more than \$5,000".

SEC. 7. Sections 2, 4, 6(1), and 8(a) are effective 12 months after the date of enactment of this Act, except that on the Great Lakes, the effective date of sections 2 and 4 will be established by the Secretary. Section 5 is effective October 1, 1981.

Sec. 8. (a) The laws specified in the following schedules are repealed. Any prior rights or liabilities existing under these laws are not affected by their repeal.

33 USC 2001 note.

Repeals. 33 USC 2001 note.

REVISED STATUTES

SEC. 4233. SEC. 4233A.

SEC. 4233B.

SEC. 4233D. SEC. 4233C.

Date	Chapter	Statutes at Large, sections	Volume	Page
1890: Aug. 19	802		26	320
1893: Mar. 3	202		27	557
1895: Feb. 19	102	1, 3, 4	28	672
Mar. 3	389	5, 12, 13	29	689
June 7	4	9, 14, 19	30	96
1900: Feb. 19	22		31	30
1905: Mar. 3	1457	10	33	1032
1914: May 25	98		38	381
1933: Mar. 1	157		47	1417
1935: Aug. 21	595	2, 3, 4, 5	49	669
1936: May 20 1940:	433	-, , , ,	49	1367
Apr. 22	128	1, 3	54	150
Apr. 25	155	3, 4, 5	54	164
1945: Dec. 3	511	1, 2	59	590
1948:				
Mar. 5	99		62	69
May 21	328		62	249
1953: Aug. 8	386		67	497
1956: June 4	353		70	228

Date	Public Law	Sections	Volume	Page
1958:				
Aug. 14	85-635		72	590
Aug. 14	85-656		72	612
1963:				
Aug. 5	88-84		77	116
Oct. 30	88-163		77	281
1966: Nov. 5	89-764	1, 2, 5, 6	80	1313

(b) The following laws are repealed when the Secretary establishes Repeals. an effective date under section 7.

Date	Chapter	Statutes at Large, sections	Volume	Page
1895: Feb. 8	64		28	645
May 17	600		45	592
May 17	601	***************************************	45	593
1929: Feb. 28	370		45	1405
1932: May 9	175		47	152
1940: Apr. 22	128	2	47 54	150
1948: Mar. 18	138		62	82

Date	Public Law	Sections	Volume	Page
1958: Mar. 28 1966: Nov. 5		3, 4	72 80	49 1313

SEC. 9. Section 2(c) of the Act of February 19, 1895 (28 Stat. 672), as amended (33 U.S.C. 151), is amended by striking the words "the Canal Zone,".

Approved December 24, 1980.

LEGISLATIVE HISTORY:

SENATE REPORT No. 96-979 (Comm. on Commerce, Science, and Transportation). CONGRESSIONAL RECORD, Vol. 126 (1980):

June 23, considered and passed House.

Sept. 30, considered and passed Senate, amended.

Nov. 19, House concurred in certain Senate amendments and disagreed to

Senate amendment No. 70.

Dec. 8, Senate receded from its amendment No. 70.

WEEKLY COMPILATION OF PRESIDENTIAL DOCUMENTS, Vol. 16, No. 52: Dec. 24, Presidential statement.